

# Product datasheet

Specifications



## 70 mm pitch spreader set flat connection - 4 poles - for NS 400..630

32493

⚠ Discontinued on: 30-Apr-2024

⚠ To be discontinued

### Main

Product or component type	Spreader
Accessory / separate part category	Connection accessory
Range compatibility	ComPact ComPacT INS circuit breaker ComPact Compact INV circuit breaker ComPact Compact NR circuit breaker ComPact Compact NSJ circuit breaker
Poles description	4P

### Complementary

Connection pitch	70 mm
------------------	-------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	11.5 cm
Package 1 Length	15.0 cm
Package 1 Weight	1.422 kg
Unit Type of Package 2	S03
Number of Units in Package 2	10
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	14.707 kg

### Contractual warranty

Warranty	18 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

## Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **No**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

REACH Regulation [REACH Declaration](#)

China RoHS Regulation [China RoHS declaration](#)

## Use Again

### Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

WEEE  **The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins**

Halogen content performance **Product contains halogen above thresholds**

Take-back

No

---