Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

95 mm pitch spreader set flat connection - 3 poles - for NT 06..16



33622

Main

Product or component type	Spreader	
Accessory / separate part category	Connection accessory	
Range compatibility	ComPact ComPact NS630b1600 Masterpact MasterPact NT	
Poles description	3P	
Quantity per set	3	

Complementary

[In] rated current	1600 A	
Connection pitch	95 mm	
Accessory / separate part	Spare part for ComPact NS630b1600	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.5 cm
Package 1 Width	21.0 cm
Package 1 Length	27.0 cm
Package 1 Weight	2.186 kg
Unit Type of Package 2	S03
Number of Units in Package 2	4
Package 2 Height	30.0 cm
Package 2 Width	30.0 cm
Package 2 Length	40.0 cm
Package 2 Weight	9.21 kg

Contractual warranty

Warranty	18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	65
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No	
Packaging without single use plastic	No	
EU RoHS Directive	Compliant	
REACh Regulation	REACh Declaration	
China RoHS Regulation	China RoHS declaration	

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations

WEEE



The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins

Take-back

No