

Product datasheet

Specifications



Acti 9 - Metal P&S Unit - single door - 10A 1P+N+E 2Mod

A9HMS210

Main

Range	Acti9
Product name	Metal Clad P&S Units
Product or component type	Consumer unit
Device application	Power socket distribution
Colour	White (RAL 9003)
Provided equipment	Electra plug and socket

Complementary

Enclosure mounting	Flush Surface
[In] rated current	10 A
Poles description	1P + N + E
Total number of 18 mm modules	2
Enclosure/cubicle description	Single door enclosure
Enclosure material	Galvanized steel box Galvanized steel DIN rail Galvanized steel cable gland plate CRCA front plate
Height	External: 170 mm
Width	External: 150 mm
Depth	External : 67 mm

Environment

IP degree of protection	IP30
IK degree of protection	IK08
Standards	IS 8623-1 IS 8623-3 IEC 61439-3
Product certifications	CPRI ERDA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7.5 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications


Package 1 Width	15.5 cm
Package 1 Length	17.5 cm
Package 1 Weight	890 g

Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACH Regulation	REACH Declaration
China RoHS Regulation	China RoHS declaration

Use Again

 Repack and remanufacture	
Take-back	No