

# Acti 9 - PSG DB - double door - IP43 - 12 ways

A9HPGD12

- Discontinued on: 09-Oct-2021
- ! End-of-service on: 30-Jun-2022

#### (!) Discontinued

# Main

Range	Acti9
Product name	Phase Segregated
Product or component type	Consumer unit
Device application	Distribution
Enclosure type	Compartmentalised
Colour	White (RAL 9003)
Provided equipment	Removable gland plates Removable centre plates Removable frame Grounding bar Neutral bar Busbar

# Complementary

Enclosure mounting	Surface	
	Flush	
Protection device type	Main incomer: isolator - 4P	
	Main incomer: miniature circuit breaker (MCB) - 4P	
	Main incomer: molded case circuit breaker (MCCB) - 3P or 4P	
	Sub feeder: residual current circuit breaker (RCCB) - 2P (phase)	
	Sub feeder: residual current circuit breaker with overcurrent protection (RCBO) - 2P	
	(phase)	
	Outgoer: miniature circuit breaker (MCB) - 1P	
[In] rated current	100 A	
Total number of 18 mm modules	56	
Number of ways	12 ways	
Enclosure/cubicle description	Double door enclosure	
Enclosure material	Galvanized steel box	
	Galvanized steel DIN rail	
	Galvanized steel cable gland plate	
	CRCA door	
	CRCA central plate	
Door opening side	Reversible	
Height	External: 588 mm	
Width	External: 966.4 mm	
Depth	External : 97.41 mm	

## **Environment**

IP degree of protection	IP43	
IK degree of protection	IK09	
Standards	IS 8623-1	_
	IS 8623-3	
	IEC 61439-3	
Product certifications	ERDA	
	CPRI	

# **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15 cm
Package 1 Width	48.5 cm
Package 1 Length	71.8 cm
Package 1 Weight	27.72 kg



Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

### **Use Better**

EU RoHS Directive	Compliant with Exemptions
China RoHS Regulation	China RoHS declaration