

Acti 9 - TPN DB - double door metal - IP43 - 8 ways

A9HTND08

Main

Range	Acti9
Product name	TPN
Product or component type	Consumer unit
Device application	Distribution
Colour	White (RAL 9003)
Provided equipment	Removable gland plates Removable centre plates Removable frame Grounding bar Neutral bar Busbar Cable kit

Complementary

Enclosure mounting	Flush Surface
Protection device type	Main incomer: isolator - 4P Main incomer: miniature circuit breaker (MCB) - 4P Outgoer: miniature circuit breaker (MCB) - 1P Main incomer: residual current circuit breaker (RCCB) - 4P Main incomer: residual current circuit breaker with overcurrent protection (RCBO) -
Total number of 18 mm modules	4P
Total number of 18 mm modules	32
Number of ways	8 ways
Enclosure/cubicle description	Double door enclosure
Enclosure material	Galvanized steel box
	Galvanized steel chassis
	Galvanized steel cable gland plate Galvanized steel DIN rail
	CRCA door
	CRCA central plate
	CRCA frame
Door opening side	Reversible
Height	External: 422 mm
Width	External: 604 mm
Depth	External : 101.4 mm

Environment

IP degree of protection	IP43	
IK degree of protection	IK09	

Standards	IS 8623-1 IS 8623-3 IEC 61439-3
Product certifications	CPRI ERDA

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	14.6 cm
Package 1 Width	47.4 cm
Package 1 Length	49.4 cm
Package 1 Weight	10.8 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

⊘ Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	80	

Use Better

Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture		
Take-back	No	