

## Acti 9 - VTPN DB - double door metal - IP43 - 8 ways - 160A MCCB

A9HVD08M

! Discontinued on: 13-Sept-2024

! Discontinued

#### Main

Acti9
VTPN
Consumer unit with incomer
Distribution
Compartmentalised
White (RAL 9003)
Removable gland plates Removable centre plates Removable frame Grounding bar Neutral bar Fishbone busbar

### Complementary

Enclosure mounting	Flush Surface	
Protection device type	Outgoer: miniature circuit breaker (MCB) - 1P or 3P - 63 A Main incomer: molded case circuit breaker (MCCB) - 3P or 4P - 160 A	
[In] rated current	160 A	
Total number of 18 mm modules	32	
Number of ways	8 ways	
Enclosure/cubicle description	Double door enclosure	
Enclosure material	Galvanized steel box Galvanized steel cable gland plate Galvanized steel mounting plate CRCA door CRCA central plate	
Door opening side	Reversible	
Height	External: 668 mm	
Width	External: 456 mm	
Depth	External : 118.4 mm	

#### **Environment**

IP degree of protection	IP43	
IK degree of protection	IK09	

Standards	IS 8623-1 IS 8623-3 IEC 61439-3
Product certifications	ERDA CPRI

### **Packing Units**

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15.24 cm
Package 1 Width	48.26 cm
Package 1 Length	69.85 cm
Package 1 Weight	15.46 kg

# **Environmental Data**

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

⊘ Environmental footprint	
Environmental Disclosure	Product Environmental Profile

#### **Use Better**

EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

### **Use Again**

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations