

Acti 9 - VTPN DB - double door metal - IP43 - 12 ways - 250A MCCB

A9HVD12H

Discontinued on: 15-Aug-2024

(!) Discontinued

Main

Range	Acti9	
Product name	VTPN	
Product or component type	Consumer unit	
Device application	Distribution	
Colour	White (RAL 9003)	
Provided equipment	Removable gland plates Removable centre plates Removable frame Grounding bar Neutral bar Fishbone busbar	

Complementary

Enclosure mounting	Flush Surface	
Protection device type	Outgoer: miniature circuit breaker (MCB) - 1P or 3P - 63 A Main incomer: molded case circuit breaker (MCCB) - 3P or 4P - 250 A	
[In] rated current	250 A	
Total number of 18 mm modules	44	
Number of ways	12 ways	
Enclosure/cubicle description	Double door enclosure	
Enclosure material	Galvanized steel box Galvanized steel cable gland plate Galvanized steel mounting plate CRCA door CRCA central plate	
Door opening side	Reversible	
Height	External: 780 mm	
Width	External: 456 mm	
Depth	External : 118.4 mm	

Environment

IP degree of protection	IP43
IK degree of protection	IK09
Standards	IS 8623-1
	IS 8623-3
	IEC 61439-3

Product certifications	CPRI	
	ERDA	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	15 cm
Package 1 Width	48.5 cm
Package 1 Length	86.8 cm
Package 1 Weight	22.85 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

⊘ Environmental footprint	
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations