

VTPN Distribution board, Acti9, 4 ways, 100A MCCB, double door metal, IP43

A9HVN04L

Main

| Range | Acti9 | |
|---------------------------|--------------------------------|--|
| Product name | VTPN | |
| Product or component type | Consumer unit | |
| Device application | Distribution | |
| Colour | White (RAL 9003) | |
| Provided equipment | Removable gland plates | |
| | Removable centre plates | |
| | Earthing bar | |
| | Neutral bar | |
| | | |
| | Fishbone busbar | |
| | Fishbone busbar Busbar link | |
| | | |
| | Busbar link | |

Complementary

| o o impromontary | | |
|--|--|--|
| Enclosure mounting | Flush Surface | |
| Protection device type | Main incomer: molded case circuit breaker (MCCB) - 3P or 4P - 100 A Outgoer: miniature circuit breaker (MCB) - 1P or 3P - 63 A | |
| [Icw] rated short-time withstand current | 17 kA for 0.25 s | |
| [In] rated current | 100 A | |
| [Ui] rated insulation voltage | 500 V | |
| [Uimp] rated impulse withstand voltage | 4 kV | |
| Total number of 18 mm modules | 12 | |
| Number of ways | 4 ways | |
| Enclosure/cubicle description | Double door enclosure | |
| Enclosure material | Galvanized steel box Galvanized steel cable gland plate Galvanized steel mounting plate CRCA door CRCA central plate | |
| Door opening side | Reversible | |
| Height | External: 558 mm | |
| Width | External: 416 mm | |
| Depth | External : 139 mm | |
| Net weight | 14.5 kg | |

Environment

| IP degree of protection | IP43 | |
|-------------------------|---------------------------------------|--|
| IK degree of protection | IK09 | |
| Standards | IS 8623-1 IS 8623-3 IEC 61439-3 | |
| Product certifications | CPRI NABL | |

Packing Units

| Unit Type of Package 1 | PCE |
|------------------------------|---------|
| Number of Units in Package 1 | 1 |
| Package 1 Height | 15 cm |
| Package 1 Width | 44 cm |
| Package 1 Length | 59 cm |
| Package 1 Weight | 15.5 kg |

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

| ⊘ Environmental footprint | |
|---|-------------------------------|
| Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) | 52 |
| Environmental Disclosure | Product Environmental Profile |

Use Better

| Packaging made with recycled cardboard | Yes |
|--|--|
| Packaging without single use plastic | No |
| EU RoHS Directive | Pro-active compliance (Product out of EU RoHS legal scope) |
| REACh Regulation | REACh Declaration |
| China RoHS Regulation | China RoHS declaration |

Use Again

| ○ Repack and remanufacture | |
|----------------------------|--|
| Circularity Profile | No need of specific recycling operations |
| Take-back | No |

Product datasheet

A9HVN04L

Image of product / Alternate images

Alternative

