

shunt trip SHT, EasyPact EZC100, EasyPact CVS100BS, 24 VDC

EZASHT024DC

Main

Range	EasyPact
Range of product	EZC100
Device short name	SHT
Product or component type	Voltage release
Device application	Control
Voltage release type	Shunt trip release
[Uc] control circuit voltage	24 V DC
Range compatibility	EasyPact EasyPact EZC

Complementary

Operating threshold	0.7 Un tripping
Response time	50 ms
Auxiliary connection terminal	Lead wire

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	7 cm
Package 1 Width	2.5 cm
Package 1 Length	8.5 cm
Package 1 Weight	52 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	8 cm
Package 2 Width	9 cm
Package 2 Length	14 cm
Package 2 Weight	320 g
Unit Type of Package 3	S03
Number of Units in Package 3	25
Package 3 Height	30 cm
Package 3 Width	30 cm

Package 3 Length	40 cm	
Package 3 Weight	2.124 ka	

Contractual warranty

Warranty 18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	Yes
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
WEEE	The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	No