

# Product datasheet

Specifications



## pitch spreader - 3 poles - for EZC250, EZCV250 - set of 3

EZESPDR3P

### Main

Product or component type	Spreader
Accessory / separate part category	Connection accessory
Range compatibility	EasyPact EZC circuit breaker EasyPact EZCV circuit breaker
Poles description	3P
Quantity per set	Set of 3
performance level	N F H

### Complementary

[In] rated current	250 A
Connection pitch	45 mm

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.5 cm
Package 1 Width	5.5 cm
Package 1 Length	5.5 cm
Package 1 Weight	125 g
Unit Type of Package 2	S01
Number of Units in Package 2	100
Package 2 Height	15 cm
Package 2 Width	15 cm
Package 2 Length	40 cm
Package 2 Weight	12.75 kg
Unit Type of Package 3	PAL
Number of Units in Package 3	3200
Package 3 Height	120.0 cm
Package 3 Width	80.0 cm
Package 3 Length	46.0 cm
Package 3 Weight	408 kg

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

# Contractual warranty


Warranty	18 months
----------	-----------

# Environmental Data


Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you](#) >

## Use Better

 Materials and Substances	
Packaging made with recycled cardboard	Yes
Packaging without single use plastic	No
<a href="#">EU RoHS Directive</a>	Compliant
REACH Regulation	<a href="#">REACH Declaration</a>
China RoHS Regulation	<a href="#">China RoHS declaration</a>

## Use Again

 Repack and remanufacture	
WEEE	 The product must be disposed on European Union markets following specific waste collection and never end up in rubbish bins
Take-back	No