

TeSys LE - enclosed DOL starter - 0.54...0.8 A - 415 V AC coil

LE1M35N705

! Discontinued on: 20-Nov-2023

! Discontinued

Main

Range	TeSys	
Product name	TeSys LE	
Device short name	LE1M	
Product or component type	Enclosed DOL starter	
Device application	Standard	
Utilisation category	AC-3	
Device composition	Contactor Earth terminal Neutral terminal Thermal overload relay	
Thermal protection adjustment range	0.540.8 A	
Motor power kW	0.12 kW at 240 V AC 50/60 Hz 0.25 kW at 415 V AC 50/60 Hz 0.12 kW at 220/230 V AC 50/60 Hz 0.25 kW at 380/400 V AC 50/60 Hz	
[Uc] control circuit voltage	415 V AC 50/60 Hz	
Control type	Push-button start green I Push-button stop/reset red O	

Complementary

Local signalling	Operating: LED (yellow)
Cable entry number	2 ISO20 top
	2 ISO25 top
	2 Pg 13 top
	2 Pg 21 top
	2 ISO20 bottom
	2 ISO25 bottom
	2 Pg 13 bottom
	2 Pg 21 bottom
	2 Pg 16 top
	2 Pg 16 bottom
width	78 mm
Height	160 mm
Depth	108 mm
Net weight	0.6 kg

Environment

Material ABS (acrylonitrile butadiene-styrene)

IP degree of protection	IP65 conforming to IEC 60529	
Standards	IEC 60947-4-1	
Ambient air temperature for operation	-540 °C	
Environmental characteristic	Standard environment	
Product certifications	UKCA	

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	11.700 cm
Package 1 Width	8.200 cm
Package 1 Length	16.500 cm
Package 1 Weight	572.900 g
Unit Type of Package 2	S02
Number of Units in Package 2	6
Package 2 Height	15.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	3.745 kg

Contractual warranty

Warranty 18 months

09-Jan-2025

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	107	

Use Better

Packaging made with recycled cardboard	Yes	
Packaging without single use plastic	Yes	
EU RoHS Directive	Compliant	
SCIP Number	44bd70c6-7317-48b4- b017-2aa21cef8f03	
REACh Regulation	REACh Declaration	
China RoHS Regulation	China RoHS declaration	

Use Again



Take-back

No