

Product datasheet

Specifications



interphase barriers, Compact NSX 400/630, EasyPact CVS 400/630, set of 6 parts

LV432570

Main

Product or component type	Interphase barrier
Range compatibility	ComPacT new generation ComPacT NSX400 new generation ComPacT new generation ComPacT NSX630 new generation ComPacT new generation ComPacT NSX DC new generation NSX400 DC ComPacT new generation ComPacT NSX DC new generation NSX630 DC ComPact ComPact NSX400 ComPact ComPact NSX630 ComPact Compact NSX400 DC ComPact Compact NSX630 DC EasyPact EasyPact CVS400 EasyPact EasyPact CVS630 PowerPact PowerPact L ComPact Compact INV ComPact ComPacT INS
Accessory / separate part type	Insulation accessories
Quantity per set	Set of 6

Complementary

Product compatibility	Circuit-breaker Plug-in base
-----------------------	---------------------------------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.500 cm
Package 1 Width	12.000 cm
Package 1 Length	20.000 cm
Package 1 Weight	162.000 g
Unit Type of Package 2	S03
Number of Units in Package 2	45
Package 2 Height	30.000 cm
Package 2 Width	30.000 cm
Package 2 Length	40.000 cm
Package 2 Weight	7.674 kg

Contractual warranty

Warranty	18 months
----------	-----------

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard

No

Packaging without single use plastic

No

[EU RoHS Directive](#)

Pro-active compliance
(Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

PVC free

Yes

Use Again

Repack and remanufacture

Circularity Profile

No need of specific recycling operations

Halogen content performance

Product contains halogen above thresholds

Take-back

No
