Product datasheet

Specifications



extended rotary handle, Compact NSX 400/630, PowerPact Multistandard L, EasyPact CVS 400/630, black standard handle, IP55

LV432598

Main

Range of product	EasyPact CVS400630
Product or component type	Rotary handle
Range compatibility	EasyPact CVS400630
Accessory / separate part type	Control accessories
Handle colour	Black
Handle front plate colour	Black
Rotary handle mounting style	Extended

Complementary

Rotary handle padlocking	1 to 3 padlocks Padlock in OFF position	
Rotary handle mounting location	Front	

Environment

IP degree of protection IP55

Packing Units

0	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	10.000 cm
Package 1 Width	16.000 cm
Package 1 Length	48.400 cm
Package 1 Weight	976.000 g
Unit Type of Package 2	S04
Number of Units in Package 2	5
Package 2 Height	30.000 cm
Package 2 Width	40.000 cm
Package 2 Length	60.000 cm
Package 2 Weight	6.139 kg
Unit Type of Package 3	P12
Number of Units in Package 3	60
Package 3 Height	104.000 cm

Package 3 Width	80.000 cm
Package 3 Length	120.000 cm
Package 3 Weight	101.000 kg

Contractual warranty

Warranty

18 months

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Ø Environmental footprint		
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	8	

Use Better

Packaging made with recycled cardboard	Νο
Packaging without single use plastic	Νο
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
SCIP Number	B9c01e27-55d7-4239-8d7b- fcedbf3f8c4a
China RoHS Regulation	China RoHS declaration

Use Again

