Disclaimer. This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications



Switch, Livia, 1-way, 10AX, 1 module, IP2X, white

P1001

Main

Range	Livia
Device application	Control
Product or component type	Switch
Device presentation	Basic element with central cover plate
Cover type	Flush cover
Number of modules	1
Colour tint	White (RAL 9003)
Targeted channel	Do it yourself

Complementary

Device mounting	Flush
Switch function	1-pole 1-way
Rated current	10 AX
[Ue] rated operational voltage	240 V AC
Fixing mode	Snap-fitted
Material	PC
Local signalling	without
Warranty	18 months
Net weight	18 g
Embedding depth	24.1 mm
Switch application	Control switch
Surface treatment	Antibacterial
Surface finish	Glossy
Number of terminals	2
Number of rocker	1
Height	54.4 mm
width	22.7 mm
Depth	35.5 mm
Network frequency	50 Hz
Marking	ON
Technology type	Electromechanical

Connections - terminals	Screw terminals
Actuator	Rocker

Environment

IP degree of protection	IP20
Standards	IS 3854

Environmental

Environmental characteristic	Indoor use
Ambient air temperature for operation	-535 °C
Relative humidity	1095 %

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	2.5 cm
Package 1 Width	5.5 cm
Package 1 Length	14.0 cm
Package 1 Weight	19.6 g
Unit Type of Package 2	BB1
Number of Units in Package 2	20
Package 2 Height	6.0 cm
Package 2 Width	10.5 cm
Package 2 Length	21.5 cm
Package 2 Weight	445.0 g
Unit Type of Package 3	CAR
Number of Units in Package 3	600
Package 3 Height	33.5 cm
Package 3 Width	34.5 cm
Package 3 Length	44.0 cm
Package 3 Weight	14.1 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

⊘ Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No