

Product datasheet

Specifications



Switch, Livia, 1-way 2-pole, 20A, 2 module, IP2X, with indicator lamp, white

P1120

Main

| | |
|---------------------------|----------------------------------------|
| Range | Livia |
| Device application | Control |
| Product or component type | Switch |
| Device presentation | Basic element with central cover plate |
| Cover type | Flush cover |
| Number of modules | 2 |
| Colour tint | White (RAL 9003) |
| Targeted channel | Do it yourself |

Complementary

| | |
|--------------------------------|----------------------|
| Device mounting | Flush |
| Switch function | 2-pole 1-way |
| Rated current | 20 A |
| [Ue] rated operational voltage | 240 V AC |
| Fixing mode | Snap-fitted |
| Material | PC |
| Local signalling | Orange LED indicator |
| Warranty | 18 months |
| Net weight | 44 g |
| Embedding depth | 27.9 mm |
| Switch application | Control switch |
| Surface treatment | Antibacterial |
| Surface finish | Glossy |
| Number of terminals | 4 |
| Number of rocker | 1 |
| Height | 54.4 mm |
| width | 45.2 mm |
| Depth | 35.5 mm |
| Network frequency | 50 Hz |
| Marking | ON |
| Technology type | Electromechanical |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

| | |
|-------------------------|-----------------|
| Connections - terminals | Screw terminals |
| Actuator | Rocker |

Environment

| | |
|-------------------------|---------|
| IP degree of protection | IP20 |
| Standards | IS 3854 |

Environmental

| | |
|---------------------------------------|------------|
| Environmental characteristic | Indoor use |
| Ambient air temperature for operation | -5...35 °C |
| Relative humidity | 10...95 % |

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 4 cm |
| Package 1 Width | 6.7 cm |
| Package 1 Length | 12.5 cm |
| Package 1 Weight | 44 g |

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

Use Better

Materials and Substances

| | |
|----------------------------------------|----|
| Packaging made with recycled cardboard | No |
|----------------------------------------|----|

| | |
|--------------------------------------|----|
| Packaging without single use plastic | No |
|--------------------------------------|----|

| | |
|-------------------|---------------------------|
| EU RoHS Directive | Compliant with Exemptions |
|-------------------|---------------------------|

| | |
|------------------|-----------------------------------|
| REACH Regulation | REACH Declaration |
|------------------|-----------------------------------|

| | |
|-----------------------|----------------------------------------|
| China RoHS Regulation | China RoHS declaration |
|-----------------------|----------------------------------------|

Use Again

Repack and remanufacture

| | |
|---------------------|------------------------------------------|
| Circularity Profile | No need of specific recycling operations |
|---------------------|------------------------------------------|

| | |
|-----------|----|
| Take-back | No |
|-----------|----|