

# Product datasheet

Specifications



Switch, Livia, 1-way 2-pole, 32A, 2 module, IP2X, with indicator lamp, white

P1132

## Main

Range	Livia
Device application	Control
Product or component type	Switch
Device presentation	Basic element with central cover plate
Cover type	Flush cover
Number of modules	2
Colour tint	White (RAL 9003)
Targeted channel	Do it yourself

## Complementary

Device mounting	Flush
Switch function	2-pole 1-way
Rated current	32 A
[Ue] rated operational voltage	240 V AC
Fixing mode	Snap-fitted
Material	PC
Local signalling	Orange LED indicator
Warranty	18 months
Net weight	44 g
Embedding depth	27.9 mm
Switch application	Control switch
Surface treatment	Antibacterial
Surface finish	Glossy
Number of terminals	4
Number of rocker	1
Height	54.4 mm
width	45.2 mm
Depth	39.5 mm
Network frequency	50 Hz
Marking	ON
Technology type	Electromechanical

---

Connections - terminals	Screw terminals
-------------------------	-----------------

---

Actuator	Rocker
----------	--------

---

## Environment

---

IP degree of protection	IP20
-------------------------	------

---

Standards	IS 3854
-----------	---------

---

## Environmental

---

Environmental characteristic	Indoor use
------------------------------	------------

---

Ambient air temperature for operation	-5...35 °C
---------------------------------------	------------

---

Relative humidity	10...95 %
-------------------	-----------

---

## Packing Units

---

Unit Type of Package 1	PCE
------------------------	-----

---

Number of Units in Package 1	1
------------------------------	---

---

Package 1 Height	4 cm
------------------	------

---

Package 1 Width	6.7 cm
-----------------	--------

---

Package 1 Length	12.5 cm
------------------	---------

---

Package 1 Weight	44 g
------------------	------

---

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

### Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	2
---	---

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant with Exemptions
-------------------	---------------------------

REACH Regulation	<a href="#">REACH Declaration</a>
------------------	-----------------------------------

China RoHS Regulation	<a href="#">China RoHS declaration</a>
-----------------------	--

## Use Again

### Repack and remanufacture

Circularity Profile	No need of specific recycling operations
---------------------	--

Take-back	No
-----------	----