

Socket-outlet, Livia, 2P + E, 6/16A, with shutter, white

P2106

Main

Range	Livia
Product or component type	Socket-outlet Socket-outlet
Device application	Power supply
Net weight	42 g
Number of modules	2
Colour tint	White (RAL 9003)
Targeted channel	Do it yourself

Complementary

Device presentation	Mechanism with central plate	
Fixing mode	Snap-fitted By screws	
Device mounting	Flush	
Outlet poles configuration	2P + E with shutter	
Rated current	10/16 A at 250 V AC 50 Hz	
Socket additional information	Shuttered	
Connections - terminals	By screw solid or flexible	
Material	PC	
Cover type	Flush cover	
Signalling function	Without	
Resistance to chemical agents	Not resistant to alcohols Not resistant to cleaning agent Not resistant to thinner	
Surface treatment	Antibacterial	
Surface finish	Glossy	
Number of terminals	3	
Embedding depth	42.9 mm	

Environment

Standards	IS 1293
Ambient air temperature for operation	-535 °C
IP degree of protection	IP20
Depth	49.5 mm

width	45.2 mm
Height	54.4 mm

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1 cm
Package 1 Width	1 cm
Package 1 Length	1 cm
Package 1 Weight	40 g
Unit Type of Package 2	BB1
Number of Units in Package 2	10
Package 2 Height	7.8 cm
Package 2 Width	11.4 cm
Package 2 Length	22.8 cm
Package 2 Weight	480 g
Unit Type of Package 3	CAR
Number of Units in Package 3	300
Package 3 Height	34.8 cm
Package 3 Width	37 cm
Package 3 Length	45.4 cm
Package 3 Weight	15.46 kg

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	3
Environmental Disclosure	Product Environmental Profile

Use Better

Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Compliant with Exemptions
SCIP Number	B4bb8a57-d202-4769- a2e0-19cfa1805b08
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No