

Product datasheet

Specifications



Selector switch, Unica pure, 5 steps
360 deg fan regulation, 2 modules,
white

UNS5STFAN2M_WE

Main

Range	Unica Pure
Product or component type	Selector switch
Device application	Fan speed controller
Device presentation	Mechanism
Colour tint	White (RAL 9003)
Number of modules	2 modules
Main colour tint	White
[Ue] rated operational voltage	240 V
Network type	AC

Complementary

Device mounting	Flush
Technology type	Electromechanical
Network frequency	50 Hz
Power range	Inductive: 120 W
Material	PC: front cover PA6: back cover
Fixing mode	Snap-in
width	45 mm
Height	45 mm
Depth	54.2 mm
Net weight	0.053 kg

Environment

IP degree of protection	IP20
Ambient air temperature for operation	-5...45 °C
Relative humidity	10...95 %
Standards	IS 11037

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Height	8.2 cm
Package 1 Width	11.6 cm
Package 1 Length	24.6 cm
Package 1 Weight	620 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Environmental footprint

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
---	---

Environmental Disclosure	Product Environmental Profile
--------------------------	---

Use Better

Materials and Substances

Packaging made with recycled cardboard	No
--	----

Packaging without single use plastic	No
--------------------------------------	----

EU RoHS Directive	Compliant with Exemptions
-------------------	---------------------------

REACH Regulation	REACH Declaration
------------------	-----------------------------------

China RoHS Regulation	China RoHS declaration
-----------------------	--

Use Again

Repack and remanufacture

Circularity Profile	End of Life Information
---------------------	---

Take-back	No
-----------	----