

Product datasheet

Specifications



Cover Frame, Unica Pure, with
fixing frame, 1 gang, 6 modules,
volcanic grey

UNSCP6M_GY

Main

Range	Unica Pure
Product or component type	Cover frame
Device mounting	Flush

Complementary

Module size	6 modules
Colour tint	Volcanic grey
Material	PC: front cover Zinc plated CRCA steel with PP plastic over molded: fixing frame
Provided equipment	Fixing frame
width	233 mm
Height	101 mm
Depth	15 mm
Net weight	0.181 kg

Environment

Ambient air temperature for storage	-5...35 °C
Relative humidity	10...95 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	9.6 cm
Package 1 Width	11.6 cm
Package 1 Length	28 cm
Package 1 Weight	183.5 g
Unit Type of Package 2	BB1
Number of Units in Package 2	5
Package 2 Height	8.8 cm
Package 2 Width	27.3 cm
Package 2 Length	10.6 cm


Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 2 Weight	918 g
------------------	-------


Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

 Environmental footprint	
Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	2
Environmental Disclosure	Product Environmental Profile

Use Better

 Materials and Substances	
Packaging made with recycled cardboard	No
Packaging without single use plastic	No
EU RoHS Directive	Pro-active compliance (Product out of EU RoHS legal scope)
REACH Regulation	REACH Declaration
China RoHS Regulation	China RoHS declaration

Use Again

 Repack and remanufacture	
Circularity Profile	No need of specific recycling operations
Take-back	No