

Product datasheet

Specifications



Opale switch 2-way 6 A white

X1002WH

Main

| | |
|---------------------------|-----------|
| Range | Opale |
| Product or component type | Switch |
| Device presentation | Mechanism |
| Quantity per set | Set of 10 |
| Colour tint | White |

Complementary

| | |
|--------------------------------|------------------------------------|
| Technology type | Electromechanical |
| Device mounting | Flush |
| Number of modules | 1 module |
| Actuator | Rocker |
| Switch function | 2-way |
| Rated current | 6 A |
| [Ue] rated operational voltage | 240 V |
| Network type | AC |
| Surface finish | Satin |
| Network frequency | 50 Hz |
| Fixing mode | By captive screws |
| Connections - terminals | Shrouded terminals |
| Material | PC: front cover PA6: base cover |
| Height | 48 mm |
| width | 21 mm |
| Depth | 35.4 mm |

Environment

| | |
|---------------------------------------|-----------------|
| Standards | IS 3854:1997/A1 |
| IP degree of protection | IP20 |
| Ambient air temperature for operation | -5...35 °C |
| Relative humidity | 10...95 % |
| Environmental characteristic | Indoor use |

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Packing Units

| | |
|------------------------------|---------|
| Unit Type of Package 1 | PCE |
| Number of Units in Package 1 | 1 |
| Package 1 Height | 4.2 cm |
| Package 1 Width | 2.1 cm |
| Package 1 Length | 3.3 cm |
| Package 1 Weight | 15 g |
| Unit Type of Package 2 | BB1 |
| Number of Units in Package 2 | 10 |
| Package 2 Height | 5 cm |
| Package 2 Width | 10 cm |
| Package 2 Length | 12 cm |
| Package 2 Weight | 247.2 g |
| Unit Type of Package 3 | CAR |
| Number of Units in Package 3 | 20 |
| Package 3 Height | 6.3 cm |
| Package 3 Width | 10.8 cm |
| Package 3 Length | 23.3 cm |
| Package 3 Weight | 305 g |

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

How this information helps you >

Environmental footprint

| | |
|---|---|
| Carbon footprint (kg.eq.CO2 per CR, Total Life cycle) | 1 |
|---|---|

| | |
|--------------------------|---|
| Environmental Disclosure | Product Environmental Profile |
|--------------------------|---|

Use Better

Materials and Substances

| | |
|--|-----|
| Packaging made with recycled cardboard | Yes |
|--|-----|

| | |
|--------------------------------------|----|
| Packaging without single use plastic | No |
|--------------------------------------|----|

| | |
|-----------------------------------|-----------|
| EU RoHS Directive | Compliant |
|-----------------------------------|-----------|

| | |
|------------------|-----------------------------------|
| REACH Regulation | REACH Declaration |
|------------------|-----------------------------------|

| | |
|-----------------------|--|
| China RoHS Regulation | China RoHS declaration |
|-----------------------|--|

Use Again

Repack and remanufacture

| | |
|---------------------|--|
| Circularity Profile | No need of specific recycling operations |
|---------------------|--|

| | |
|-----------|----|
| Take-back | No |
|-----------|----|