Specifications



Opale switch with indicator lamp 1way 6 A white

X1028WH

() Discontinued on: 30-Jun-2023

(!) Discontinued

Main

Range	Opale	
Product or component type	Switch with indicator lamp	
Device presentation	Mechanism	
Light source	Neon	
Quantity per set	Set of 10	
Colour tint	White	

Complementary

Technology type	Electromechanical
Device mounting	Flush
Number of modules	2 modules
Actuator	Rocker
Switch function	1-way
Rated current	6 A
[Ue] rated operational voltage	240 V
Lamp function	Indicator
Network type	AC
Surface finish	Satin
Network frequency	50 Hz
Fixing mode	By captive screws
Connections - terminals	Shrouded terminals
Material	PC: front cover PA6: base cover
Height	48 mm
width	42 mm
Depth	35.6 mm

Environment

Standards	IS 3854:1997/A1
IP degree of protection	IP20
Ambient air temperature for operation	-535 °C

Relative humidity	1095 %
Environmental characteristic	Indoor use

Packing Units

-	
Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm
Package 1 Width	4.3 cm
Package 1 Length	3.3 cm
Package 1 Weight	17 g
Unit Type of Package 2	BB1
Number of Units in Package 2	120
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	2045 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

earrow Environmental footprint	
Environmental Disclosure	Product Environmental Profile
Use Better	
Materials and Substances	
EU RoHS Directive	Compliant
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

