

Product datasheet

Specifications



Opale bell press switch 1-way 6 A white

X1086WH

⚠ Discontinued on: 13-Sept-2024

⚠ Discontinued

Main

Range	Opale
Product or component type	Bell press switch
Device presentation	Mechanism
Light source	Neon
Quantity per set	Set of 10
Colour tint	White

Complementary

Technology type	Electromechanical
Device mounting	Flush
Number of modules	2 modules
Actuator	Rocker
Switch function	1-way
Rated current	6 A
[Ue] rated operational voltage	250 V
Lamp function	Indicator
Network type	AC
Surface finish	Satin
Network frequency	50 Hz
Fixing mode	By captive screws
Connections - terminals	Shrouded terminals
Material	PC: front cover PA6: base cover
Height	48 mm
width	42 mm
Depth	35.6 mm

Environment

Standards	IS 3854:1997/A1
IP degree of protection	IP20
Ambient air temperature for operation	-5...35 °C

Relative humidity	10...95 %
Environmental characteristic	Indoor use

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	4.1 cm
Package 1 Width	4.3 cm
Package 1 Length	3.3 cm
Package 1 Weight	17 g
Unit Type of Package 2	BB1
Number of Units in Package 2	120
Package 2 Height	250 cm
Package 2 Width	265 cm
Package 2 Length	335 cm
Package 2 Weight	2045 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

[EU RoHS Directive](#)

Compliant

[REACH Regulation](#)

[REACH Declaration](#)

[China RoHS Regulation](#)

[China RoHS declaration](#)

Use Again

Repack and remanufacture

[Circularity Profile](#)

No need of specific recycling operations