

Opale socket-outlet 3P with shutters 6 A white

X2007WH

! Discontinued on: 13-Sept-2024

! Discontinued

Main

Range of product	Opale
Product or component type	Socket-outlet Socket-outlet
Device presentation	Mechanism with central plate
Outlet poles configuration	3P with shutters
Colour tint	White
Quantity per set	Set of 10

Complementary

Number of power socket outlets	1
Device mounting	Flush
Number of modules	2 modules
Rated current	6 A
[Ue] rated operational voltage	250 V AC/DC
Connections - terminals	Shrouded terminals
Material	PC/ABS
Surface finish	Satin
Fixing mode	By captive screws

Environment

Environmental characteristic	Flame retardant
Standards	IS 1293:1988
IP degree of protection	IP20

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	5.1 cm
Package 1 Width	4.2 cm
Package 1 Length	2.1 cm
Package 1 Weight	34 g
Unit Type of Package 2	BB1

Number of Units in Package 2	280
Package 2 Height	215 cm
Package 2 Width	340 cm
Package 2 Length	445 cm
Package 2 Weight	9525 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing "Use Better, Use Longer, Use Again" campaign to extend product lifetimes and recyclability.

How this information helps you >

Carbon footprint (kg.eq.CO2 per CR, Total Life cycle)	1
Environmental Disclosure	Product Environmental Profile

Use Better

EU RoHS Directive	Compliant with Exemptions
REACh Regulation	REACh Declaration
China RoHS Regulation	China RoHS declaration

Use Again

○ Repack and remanufacture	
Circularity Profile	No need of specific recycling operations