

# Product datasheet

Specifications



## Opale dimmer 400W white

X3004WH

### Main

|                                |   |
|--------------------------------|---|
| Range                          | Opale   |
| Product or component type      | Dimmer  |
| Device application             | Control   |
| Dimmer type                    | Rotary dimmer   |
| Load type                      | Incandescent lamp   |
| Colour tint                    | White   |
| Main colour tint               | White   |
| Material                       | PC: front cover<br>PA (polyamide) 6: base cover<br>PC: knob |
| [Ue] rated operational voltage | 220 V   |
| Network type                   | AC  |
| Network frequency              | 50/60 Hz  |

### Complementary

|                   |                   |
|-------------------|-------------------|
| Device mounting   | Flush             |
| Dimmer control    | Rotary            |
| Number of modules | 2                 |
| Power range       | 400 W             |
| Surface finish    | Satin             |
| Fixing mode       | By captive screws |
| Height            | 51 mm             |
| width             | 42.25 mm          |
| Depth             | 62 mm             |

### Environment

|                         |      |
|-------------------------|------|
| IP degree of protection | IP20 |
|-------------------------|------|

### Packing Units

|                              |        |
|------------------------------|--------|
| Unit Type of Package 1       | PCE    |
| Number of Units in Package 1 | 1      |
| Package 1 Height             | 1.4 cm |
| Package 1 Width              | 1.2 cm |

|                                     |          |
|-------------------------------------|----------|
| <b>Package 1 Length</b>             | 4.7 cm   |
| <b>Package 1 Weight</b>             | 50.2 g   |
| <b>Unit Type of Package 2</b>       | CAR      |
| <b>Number of Units in Package 2</b> | 5        |
| <b>Package 2 Height</b>             | 7 cm     |
| <b>Package 2 Width</b>              | 6 cm     |
| <b>Package 2 Length</b>             | 23.5 cm  |
| <b>Package 2 Weight</b>             | 332.25 g |

## Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

### Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

REACH Regulation [REACH Declaration](#)

China RoHS Regulation [China RoHS declaration](#)

## Use Again

### Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**