

Product datasheet

Specifications



Opale dimmer 1200W white

X3012WH

Main

Range	Opale
Product or component type	Dimmer
Device application	Control
Dimmer type	Rotary dimmer
Load type	Incandescent lamp
Colour tint	White
Main colour tint	White
Material	PC: front cover PA (polyamide) 6: base cover PC: knob
[Ue] rated operational voltage	220 V
Network type	AC
Network frequency	50/60 Hz

Complementary

Device mounting	Flush
Dimmer control	Rotary
Number of modules	2
Power range	1200 W
Surface finish	Satin
Fixing mode	By captive screws
Height	51 mm
width	42.25 mm
Depth	62 mm

Environment

IP degree of protection	IP20
-------------------------	------

Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	1.2 cm
Package 1 Width	1.4 cm

Package 1 Length	4.7 cm
Package 1 Weight	70 g
Unit Type of Package 2	CAR
Number of Units in Package 2	5
Package 2 Height	7 cm
Package 2 Width	6 cm
Package 2 Length	23.5 cm
Package 2 Weight	332.25 g

Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

Environmental footprint

[Environmental Disclosure](#)

[Product Environmental Profile](#)

Use Better

Materials and Substances

Packaging made with recycled cardboard **Yes**

Packaging without single use plastic **No**

[EU RoHS Directive](#) **Compliant**

REACH Regulation [REACH Declaration](#)

China RoHS Regulation [China RoHS declaration](#)

Use Again

Repack and remanufacture

Circularity Profile **No need of specific recycling operations**

Take-back **No**