

# Product datasheet

Specifications



## RJ 45 COVER White

X4050WH

⚠ Discontinued on: 13-Sept-2024

⚠ Discontinued

### Main

Range	Opale
Product or component type	Data socket
Device presentation	Complete product
Cable shielding type	UTP
Data socket type	RJ45
Main colour tint	White
Type of packing	Flow-pack
Quantity per set	10

### Complementary

Device mounting	Flush
Socket number	1
Communication network category	6
Connections - terminals	IDC
Cable stiffness	Rigid
Material	PC: front cover PA6: base cover
Fixing mode	Claws
Height	48 mm
width	21 mm
Depth	11.4 mm
Colour tint	White

### Environment

IP degree of protection	IP20
-------------------------	------

### Packing Units

Unit Type of Package 1	PCE
Number of Units in Package 1	1
Package 1 Height	0.5 cm
Package 1 Width	0.55 cm

Disclaimer: This documentation is not intended as a substitute for and is not to be used for determining suitability or reliability of these products for specific user applications

Package 1 Length	1 cm
Package 1 Weight	13 g

# Environmental Data

Schneider Electric aims to achieve Net Zero status by 2050 through supply chain partnerships, lower impact materials, and circularity via our ongoing “Use Better, Use Longer, Use Again” campaign to extend product lifetimes and recyclability.

[How this information helps you >](#)

## Environmental footprint

Environmental Disclosure

[Product Environmental Profile](#)

## Use Better

### Materials and Substances

[EU RoHS Directive](#)

Pro-active compliance  
(Product out of EU RoHS legal scope)

REACH Regulation

[REACH Declaration](#)

China RoHS Regulation

[China RoHS declaration](#)

## Use Again

### Repack and remanufacture

Circularity Profile

No need of specific recycling operations